



# PALLORI PALLET

## PL - PALLET

Pallori India offers a wide range of platforms designed to enhance efficiencies for your supply chain business. Our pallet platforms are built to move products safely, efficiently, and sustainably. With standard-sized pallets, we help reduce the financial and environmental impact of transportation on your business, while also lowering operating costs, labor expenses, and product damage. Additionally, our solutions facilitate just-in-time deliveries to meet peak seasonal demands.





### PL- PALLET (1200 x 1000)

Pallori India's four-way entry full perimeter pallets are compatible with forklifts, reach trucks, and stackers, making them ideal for high-racking applications. These pallets are specifically designed to meet the demands of the beverage industry.

### TECH SPECS


Light Weight -25-30Kg

PL-Pallet(1200*1000*157)				
Specification	Length	Width	Thickness	Sr.No
Top Board	1000	100	20	1
Connector Board	1200	100	25	2
Block	190	100	88	3
Bottom Board	1200	100	25	4
Capacity Static			Dynamic Static	
4500			1500	




# E - PALLET

Pallori India offers a wide range of platforms designed to enhance efficiencies for your supply chain business. Our pallet platforms are built to move products safely, efficiently, and sustainably. With standard-sized pallets, we help reduce the financial and environmental impact of transportation on your business, while also lowering operating costs, labor expenses, and product damage. Additionally, our solutions facilitate just-in-time deliveries to meet peak seasonal demands.



## E- PALLET (1200 x 1000)



Pallori India's four-way entry full perimeter pallets are compatible with forklifts, reach trucks, and stackers, making them ideal for high-racking applications. These pallets are specifically designed to meet the demands of the beverage industry.



## TECH SPECS

Light Weight -25-30Kg

E-Pallet(1200*1000*156)					
Specification	Length	Width	Thickness	Qty	Sr.No
Top Board	1000	100	20	10	1
Connector Board	1200	100	25	3	2
Block	160	100	88	9	3
Bottom Board	1200	100	25	3	4
Capacity Static				Dynamic Static	
4500				1500	





# EURO - PALLET

These are primarily used for ground and standard racking operations and are compatible with forklifts, stackers, and reach trucks, making them ideal for Pallori India's comprehensive asset solutions.



## EURO- PALLET (1200 x 800)



### TECH SPECS

Light Weight -20Kg

EURO-Pallet(1200*1000)					
Specification	Length	Width	Thickness	Qty	Sr.No
Top Board	1200	100	20	7	1
Connector Board	800	100	25	3	2
Block	100	100	88	9	3
Bottom Board	1200	100	25	3	4

